

# PRODUCT ENVIRONMENTAL PROFILE

## PRODUCT FAMILY DECLARATION

CLIV-00001-V01.01-EN | PEP ECOPASSPORT®



### THUNDER

Reference product: **WiSAN-P 20.1**

Air cooled reversible  
full inverter heat pump  
for outdoor installation



# General information

## Product information

- Product name: WiSAN-P 20.1
- Product Type: thermodynamic generators with electric compression
- Product sub-category: Heat pump
- Product identification:
  - Technology: air/water
  - Reversible
  - Without production of domestic hot water
  - Heating and cooling capacity: see table 2
  - SCOP and SEER: see table 2
  - Refrigerant used: R290
  - Refill threshold: 90%

## Standard LCA

The LCA study complies with recognized EU and international standards, including:

- ISO 14040:2006+AMD1:2020 Environmental management - Life cycle assessment - Principles and reference framework;
- ISO 14044:2006+AMD1:2017+AMD2:2020 Environmental management - Life cycle assessment - Requirements and guidelines;
- EN 50639:2019 Product category rules for life cycle assessments of electronic and electrical products and systems
- Product category rule from “PEP ecopassport program”:
  - General rule for electrical products, electronical and HVAC-R: PCR-ed4-EN-2021 09 06
  - Specific rule for product category on the scope of the study: PSR-0013-ed3.0-EN-2023-06-06

## Functional unit

To produce 1 kW of heating or 1 kW of cooling according to the appropriate usage scenario defined in the EN 14825 standard and during the 22 years reference lifetime of the product.

## Declared unit

To produce heating or cooling thanks to a heat pump of 58.2kW (cooling capacity) and 43.7kW (heating capacity) according to the appropriate usage scenario and during the 22-year reference lifetime of the product.

## System boundaries

Cradle to Grave approach.

According to these stages:

- Manufacturing stage: from the extraction of natural resources to product and packaging manufacturing and their delivery to the manufacturer’s last logistics platform;
- Distribution stage: transportation from the last manufacturer’s logistics platform to the arrival of the product at the place of use and production of reconditioning packaging;
- Installation stage: installation of the product at the place of use;
- Use stage: use of the product and maintenance necessary to ensure the ability for use;
- End-of-life stage: removal, dismantling and transportation of the end-of-life product to a treatment centre or landfill site, and the end-of-life treatment;
- Net benefits and loads beyond the system boundaries stage: potential for reuse, recovery and/or recycling, expressed as net benefits and impacts. This stage is optional and not considered into this LCA study.

## Technical data

<b>Reference product</b>	-	<b>WiSAN-P 20.1</b>
<b>Power of reference product [Prev]</b>	kW	47.0
<b>Prated,h</b>	kW	43.7
<b>SCOP</b>	-	3.36
<b>Equivalent active mode hours in heating</b>	h	2066
<b>Prated,c</b>	kW	58.2
<b>SEER</b>	-	4.36
<b>Equivalent active mode hours in cooling</b>	h	600
EN 14825:2022 + regulation 2016/2281, SEER Fan coil application, SCOP Medium temperature application		
<b>Refrigerant charge</b>	kg	4.5
<b>Total weight (with packaging)</b>	kg	738

# Life cycle inventory

## Data collection

- Software: SimaPro 9.6.0.1
- Database for secondary data: Ecoinvent 3.10 (allocation, cut-off by classification – unit)
- Electricity energy mix for manufacturing and use phase: Electricity, medium voltage [T] market for I Cut-off, U – year of the dataset 2018
- Geographical representativeness: Global, with product manufacturing and use phase as Italy
- Time representativeness: 2023 for primary data
- Technological representativeness: Clivet specific technological process for product manufacturing; industrial average technologies for raw material production

## Manufacturing stage

- Production and assembly site: Via Camp Lonc 25, Z.I. Villapaiera 32032 - Feltre (BL) - Italy
- Primary data: bill of material, factory energy consumption, factory processing
- Secondary data: raw material and semi-finished product dataset, transport, waste

## Distribution stage

- Distribution scenario: transport from factory to installation site
- Primary data: distribution location based on sales
- Secondary data: transport vehicle consumptions

## Installation stage

- Installation activity: transport for people and accessories for average installation process, use of a crane to move the unit in the installation place
- No additional refrigerant charge has been taken into account during installation phase
- Installation scenario: both ground with concrete slab or on roof
- Waste scenario for the end of life for the packaging is based on 2019 Eurostat data
- Primary data: -
- Secondary data: transport vehicle consumptions, waste scenario

## Use stage

- Use scenario: EN 14825:2022 + regulation 2016/2281
- Space heating: Average climate, medium temperature application
- Space cooling: Fan coil application
- Domestic hot water: -
- Primary data: unit efficiency
- Secondary data: electricity energy mix


## End of life stage

- Waste scenario: standard EN 50639:2020 scenario is used.
- Primary data: unit constituent materials
- Secondary data: waste treatment and transport

# Constituent materials

Categories	Materials	Weight	Mass [kg]
Metals	Steel	62.2%	458.6 (11.3)
Metals	Electric motor	11.8%	87
Metals	Copper	8.6%	64.1
Wood / Paper	Wood	6.1%	45.8 (45)
Metals	Aluminum	5.4%	39.8
Plastics	Polyester	1.4%	10.3
Plastics	ABS	1.3%	9.6
Plastics	Other	0.8%	5.8
Miscellaneous	Refrigerant	0.6%	4.5
Electronics	Electronic Board	0.5%	3.7
Miscellaneous	Compressor oil	0.4%	3.0
Metals	Other	0.3%	2.2
Wood / Paper	Paper / Cardboard	0.3%	2.2
Electronics	Others	0.2%	1.5
Miscellaneous	-	0.1%	0.7
<b>Total</b>		<b>100%</b>	<b>738 (56.3)</b>

Total weight of the unit (within bracket the portion weight of packaging)





# Environmental impacts

Total impacts per kW corresponding to the functional unit

Impact category	Unit	Module	Manufac.	Distrib.	Instal.	Use	End of life
		Total	A1-A3	A4	A5	B1-B6	C1-C4
<b>Environmental impact indicators</b>							
Climate change	kg CO <sub>2</sub> eq	6.64E+03	1.74E+02	7.45E-01	1.46E+00	6.45E+03	7.24E+00
Climate change - Biogenic	kg CO <sub>2</sub> eq	5.39E+02	2.09E+00	1.82E-04	4.69E-01	5.36E+02	6.60E-02
Climate change - Fossil	kg CO <sub>2</sub> eq	6.10E+03	1.72E+02	7.45E-01	9.95E-01	5.92E+03	7.17E+00
Climate change - Land use and LU change	kg CO <sub>2</sub> eq	9.77E-01	2.02E-01	2.25E-04	5.84E-04	7.68E-01	6.56E-03
Ozone depletion	kg CFC11 eq	1.33E-04	3.90E-06	1.10E-08	1.86E-08	1.29E-04	6.57E-08
Acidification	mol H <sup>+</sup> eq	2.27E+01	2.18E+00	2.51E-03	4.55E-03	2.05E+01	2.36E-02
Eutrophication. freshwater	kg P eq	1.15E+00	1.93E-01	4.95E-05	1.68E-04	9.52E-01	2.54E-03
Eutrophication. marine	kg N eq	3.68E+00	2.32E-01	8.43E-04	1.59E-03	3.44E+00	6.06E-03
Eutrophication. terrestrial	mol N eq	3.97E+01	2.58E+00	9.19E-03	1.60E-02	3.70E+01	5.49E-02
Photochemical ozone formation	kg NMVOC eq	1.73E+01	8.35E-01	3.77E-03	6.34E-03	1.65E+01	2.07E-02
Resource use. minerals and metals	kg Sb eq	4.47E-02	3.37E-02	1.22E-06	7.72E-06	1.10E-02	2.58E-05
Resource use. fossils	MJ	9.83E+04	2.04E+03	1.08E+01	1.40E+01	9.62E+04	7.25E+01
Water use	m <sup>3</sup> depriv.	4.31E+03	5.14E+01	4.78E-02	1.15E-01	4.26E+03	2.36E+00
Total use of primary energy during the life cycle	MJ	1.31E+05	2.32E+03	1.09E+01	1.47E+01	1.29E+05	8.36E+01
Particulate matter	disease inc.	1.17E-04	1.30E-05	7.90E-08	1.01E-07	1.03E-04	5.09E-07
Ionizing radiation	kBq U-235 eq	7.32E+02	1.27E+01	8.60E-03	6.10E-02	7.18E+02	1.10E+00
Ecotoxicity. freshwater - part 1	CTUe	8.42E+03	1.87E+03	1.48E+00	2.52E+00	6.50E+03	4.01E+01
Ecotoxicity. freshwater - part 2	CTUe	7.54E+03	2.34E+03	6.67E-01	1.14E+00	5.19E+03	8.66E+00
Ecotoxicity. freshwater - inorganics	CTUe	1.01E+04	3.33E+03	1.47E+00	2.32E+00	6.76E+03	3.48E+01
Ecotoxicity. freshwater - organics - p.1	CTUe	4.04E+03	8.35E+02	6.19E-01	1.21E+00	3.19E+03	1.17E+01
Ecotoxicity. freshwater - organics - p.2	CTUe	1.79E+03	4.44E+01	5.64E-02	1.30E-01	1.74E+03	2.25E+00
Human toxicity. cancer	CTUh	1.67E-05	3.83E-06	2.55E-09	6.52E-09	1.28E-05	7.01E-08
Human toxicity. cancer - inorganics	CTUh	5.15E-07	1.83E-07	4.39E-11	5.52E-10	3.11E-07	1.92E-08
Human toxicity. cancer - organics	CTUh	1.62E-05	3.64E-06	2.51E-09	5.96E-09	1.25E-05	5.09E-08
Human toxicity. non-cancer	CTUh	4.21E-05	1.69E-05	6.77E-09	8.81E-09	2.51E-05	4.87E-08
Human toxicity. non-cancer - inorganics	CTUh	3.93E-05	1.59E-05	6.36E-09	8.13E-09	2.33E-05	4.63E-08
Human toxicity. non-cancer - organics	CTUh	2.78E-06	1.00E-06	4.11E-10	6.83E-10	1.77E-06	2.38E-09
Land use	Pt	1.83E+04	1.32E+03	1.12E+01	5.96E+00	1.70E+04	3.05E+01

Impact category	Unit	Module	Manufac.	Distrib.	Instal.	Use	End of life
		Total	A1-A3	A4	A5	B1-B6	C1-C4
<b>Inventory flows indicator</b>							
Use of renewable primary energy, excluding renewable primary energy resources used as raw materials	MJ	3.29E+04	2.47E+02	1.20E-01	6.35E-01	3.26E+04	1.11E+01
Use of renewable primary energy resources used as raw materials	MJ	2.74E+01	2.74E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of renewable primary energy resources	MJ	3.29E+04	2.74E+02	1.20E-01	6.35E-01	3.26E+04	1.11E+01
Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials	MJ	9.83E+04	2.01E+03	1.08E+01	1.40E+01	9.62E+04	7.25E+01
Use of non-renewable primary energy resources used as raw materials	MJ	2.91E+01	2.91E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non-renewable primary energy resources	MJ	9.83E+04	2.04E+03	1.08E+01	1.40E+01	9.62E+04	7.25E+01
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water	m <sup>3</sup>	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Hazardous waste	kg	4.01E-01	4.07E-02	7.04E-05	2.83E-04	3.59E-01	3.03E-04
Bulk waste	kg	2.44E+02	1.54E+01	9.48E-01	8.11E-01	2.26E+02	8.16E-01
Radioactive waste	kg	1.94E-01	3.22E-03	2.10E-06	1.55E-05	1.90E-01	2.83E-04
Components for reuse	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for recycling	kg	1.07E+01	0.00E+00	0.00E+00	4.87E-01	0.00E+00	1.02E+01
Materials for energy recovery	kg	6.07E-01	0.00E+00	0.00E+00	3.06E-01	0.00E+00	3.01E-01
Exported energy	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the product	kg C	7.72E-03	7.72E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the associated packaging	kg C	4.34E-01	4.34E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00

# Use stage impacts per kW corresponding to the functional unit

Impact category	Unit	Module	Use	Maint.	Repair	Replac.	Rehabil.	Energy	Water
		Total	B1	B2	B3	B4	B5	B6	B7
<b>Environmental impact indicators</b>									
Climate change	kg CO <sub>2</sub> eq	6.45E+03	0.00E+00	4.37E-01	0.00E+00	0.00E+00	0.00E+00	6.45E+03	0.00E+00
Climate change - Biogenic	kg CO <sub>2</sub> eq	5.36E+02	0.00E+00	7.67E-04	0.00E+00	0.00E+00	0.00E+00	5.36E+02	0.00E+00
Climate change - Fossil	kg CO <sub>2</sub> eq	5.92E+03	0.00E+00	4.36E-01	0.00E+00	0.00E+00	0.00E+00	5.92E+03	0.00E+00
Climate change - Land use and LU change	kg CO <sub>2</sub> eq	7.68E-01	0.00E+00	2.18E-04	0.00E+00	0.00E+00	0.00E+00	7.68E-01	0.00E+00
Ozone depletion	kg CFC11 eq	1.29E-04	0.00E+00	8.49E-09	0.00E+00	0.00E+00	0.00E+00	1.29E-04	0.00E+00
Acidification	mol H+ eq	2.05E+01	0.00E+00	1.99E-03	0.00E+00	0.00E+00	0.00E+00	2.05E+01	0.00E+00
Eutrophication. freshwater	kg P eq	9.52E-01	0.00E+00	5.57E-05	0.00E+00	0.00E+00	0.00E+00	9.52E-01	0.00E+00
Eutrophication. marine	kg N eq	3.44E+00	0.00E+00	6.58E-04	0.00E+00	0.00E+00	0.00E+00	3.44E+00	0.00E+00
Eutrophication. terrestrial	mol N eq	3.70E+01	0.00E+00	7.23E-03	0.00E+00	0.00E+00	0.00E+00	3.70E+01	0.00E+00
Photochemical ozone formation	kg NMVOC eq	1.65E+01	0.00E+00	2.92E-03	0.00E+00	0.00E+00	0.00E+00	1.65E+01	0.00E+00
Resource use. minerals and metals	kg Sb eq	1.10E-02	0.00E+00	3.56E-06	0.00E+00	0.00E+00	0.00E+00	1.10E-02	0.00E+00
Resource use. fossils	MJ	9.62E+04	0.00E+00	6.13E+00	0.00E+00	0.00E+00	0.00E+00	9.62E+04	0.00E+00
Water use	m <sup>3</sup> depriv.	4.26E+03	0.00E+00	3.17E-02	0.00E+00	0.00E+00	0.00E+00	4.26E+03	0.00E+00
Total use of primary energy during the life cycle	MJ	1.29E+05	0.00E+00	6.32E+00	0.00E+00	0.00E+00	0.00E+00	1.29E+05	0.00E+00
Particulate matter	disease inc.	1.03E-04	0.00E+00	4.39E-08	0.00E+00	0.00E+00	0.00E+00	1.03E-04	0.00E+00
Ionizing radiation	kBq U-235 eq	7.18E+02	0.00E+00	1.68E-02	0.00E+00	0.00E+00	0.00E+00	7.18E+02	0.00E+00
Ecotoxicity. freshwater - part 1	CTUe	6.50E+03	0.00E+00	9.95E-01	0.00E+00	0.00E+00	0.00E+00	6.50E+03	0.00E+00
Ecotoxicity. freshwater - part 2	CTUe	5.19E+03	0.00E+00	4.71E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ecotoxicity. freshwater - inorganics	CTUe	6.76E+03	0.00E+00	9.31E-01	0.00E+00	0.00E+00	0.00E+00	6.76E+03	0.00E+00
Ecotoxicity. freshwater - organics - p.1	CTUe	3.19E+03	0.00E+00	4.96E-01	0.00E+00	0.00E+00	0.00E+00	3.19E+03	0.00E+00
Ecotoxicity. freshwater - organics - p.2	CTUe	1.74E+03	0.00E+00	3.86E-02	0.00E+00	0.00E+00	0.00E+00	1.74E+03	0.00E+00
Human toxicity. cancer	CTUh	1.28E-05	0.00E+00	2.57E-09	0.00E+00	0.00E+00	0.00E+00	1.28E-05	0.00E+00
Human toxicity. cancer - inorganics	CTUh	3.11E-07	0.00E+00	4.70E-11	0.00E+00	0.00E+00	0.00E+00	3.11E-07	0.00E+00
Human toxicity. cancer - organics	CTUh	1.25E-05	0.00E+00	2.53E-09	0.00E+00	0.00E+00	0.00E+00	1.25E-05	0.00E+00
Human toxicity. non-cancer	CTUh	2.51E-05	0.00E+00	3.80E-09	0.00E+00	0.00E+00	0.00E+00	2.51E-05	0.00E+00
Human toxicity. non-cancer - inorganics	CTUh	2.33E-05	0.00E+00	3.51E-09	0.00E+00	0.00E+00	0.00E+00	2.33E-05	0.00E+00
Human toxicity. non-cancer - organics	CTUh	1.77E-06	0.00E+00	2.93E-10	0.00E+00	0.00E+00	0.00E+00	1.77E-06	0.00E+00
Land use	Pt	1.70E+04	0.00E+00	2.51E+00	0.00E+00	0.00E+00	0.00E+00	1.70E+04	0.00E+00



Impact category	Unit	Module	Use	Maint.	Repair	Replac.	Rehabil.	Energy	Water
		Total	B1	B2	B3	B4	B5	B6	B7
<b>Inventory flows indicator</b>									
Use of renewable primary energy, excluding renewable primary energy resources used as raw materials	MJ	3.26E+04	0.00E+00	1.71E-01	0.00E+00	0.00E+00	0.00E+00	3.26E+04	0.00E+00
Use of renewable primary energy resources used as raw materials	MJ	0.00E+00	0.00E+00	2.13E-02	0.00E+00	0.00E+00	0.00E+00	4.26E-02	0.00E+00
Total use of renewable primary energy resources	MJ	3.26E+04	0.00E+00	1.92E-01	0.00E+00	0.00E+00	0.00E+00	3.26E+04	0.00E+00
Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials	MJ	9.62E+04	0.00E+00	6.11E+00	0.00E+00	0.00E+00	0.00E+00	9.62E+04	0.00E+00
Use of non-renewable primary energy resources used as raw materials	MJ	0.00E+00	0.00E+00	2.13E-02	0.00E+00	0.00E+00	0.00E+00	4.26E-02	0.00E+00
Total use of non-renewable primary energy resources	MJ	9.62E+04	0.00E+00	6.13E+00	0.00E+00	0.00E+00	0.00E+00	9.62E+04	0.00E+00
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water	m <sup>3</sup>	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Hazardous waste	kg	3.59E-01	0.00E+00	1.39E-04	0.00E+00	0.00E+00	0.00E+00	3.59E-01	0.00E+00
Bulk waste	kg	2.26E+02	0.00E+00	1.80E-01	0.00E+00	0.00E+00	0.00E+00	2.26E+02	0.00E+00
Radioactive waste	kg	1.90E-01	0.00E+00	4.28E-06	0.00E+00	0.00E+00	0.00E+00	1.90E-01	0.00E+00
Components for reuse	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for recycling	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for energy recovery	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Exported energy	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the associated packaging	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

# Total impacts per declared unit

Impact category	Unit	Module	Manufac.	Distrib.	Instal.	Use	End of life
		Total	A1-A3	A4	A5	B1-B6	C1-C4
<b>Environmental impact indicators</b>							
Climate change	kg CO <sub>2</sub> eq	3.12E+05	8.18E+03	3.50E+01	6.88E+01	3.03E+05	3.40E+02
Climate change - Biogenic	kg CO <sub>2</sub> eq	2.53E+04	9.81E+01	8.56E-03	2.20E+01	2.52E+04	3.10E+00
Climate change - Fossil	kg CO <sub>2</sub> eq	2.87E+05	8.07E+03	3.50E+01	4.67E+01	2.78E+05	3.37E+02
Climate change - Land use and LU change	kg CO <sub>2</sub> eq	4.59E+01	9.50E+00	1.06E-02	2.74E-02	3.61E+01	3.09E-01
Ozone depletion	kg CFC11 eq	6.24E-03	1.83E-04	5.15E-07	8.74E-07	6.05E-03	3.09E-06
Acidification	mol H+ eq	1.07E+03	1.02E+02	1.18E-01	2.14E-01	9.65E+02	1.11E+00
Eutrophication. freshwater	kg P eq	5.39E+01	9.06E+00	2.33E-03	7.91E-03	4.47E+01	1.20E-01
Eutrophication. marine	kg N eq	1.73E+02	1.09E+01	3.96E-02	7.49E-02	1.62E+02	2.85E-01
Eutrophication. terrestrial	mol N eq	1.86E+03	1.21E+02	4.32E-01	7.52E-01	1.74E+03	2.58E+00
Photochemical ozone formation	kg NMVOC eq	8.15E+02	3.92E+01	1.77E-01	2.98E-01	7.74E+02	9.71E-01
Resource use. minerals and metals	kg Sb eq	2.10E+00	1.58E+00	5.71E-05	3.63E-04	5.15E-01	1.21E-03
Resource use. fossils	MJ	4.62E+06	9.60E+04	5.06E+02	6.60E+02	4.52E+06	3.41E+03
Water use	m3 depriv.	2.03E+05	2.42E+03	2.25E+00	5.39E+00	2.00E+05	1.11E+02
Total use of primary energy during the life cycle	MJ	6.17E+06	1.09E+05	5.12E+02	6.90E+02	6.06E+06	3.93E+03
Particulate matter	disease inc.	5.48E-03	6.13E-04	3.71E-06	4.74E-06	4.84E-03	2.39E-05
Ionizing radiation	kBq U-235 eq	3.44E+04	5.97E+02	4.04E-01	2.87E+00	3.38E+04	5.19E+01
Ecotoxicity. freshwater - part 1	CTUe	3.96E+05	8.78E+04	6.97E+01	1.18E+02	3.06E+05	1.89E+03
Ecotoxicity. freshwater - part 2	CTUe	3.54E+05	1.10E+05	3.14E+01	5.36E+01	2.44E+05	4.07E+02
Ecotoxicity. freshwater - inorganics	CTUe	4.76E+05	1.56E+05	6.93E+01	1.09E+02	3.18E+05	1.64E+03
Ecotoxicity. freshwater - organics - p.1	CTUe	1.90E+05	3.92E+04	2.91E+01	5.67E+01	1.50E+05	5.50E+02
Ecotoxicity. freshwater - organics - p.2	CTUe	8.40E+04	2.09E+03	2.65E+00	6.12E+00	8.18E+04	1.06E+02
Human toxicity. cancer	CTUh	7.84E-04	1.80E-04	1.20E-07	3.06E-07	6.00E-04	3.29E-06
Human toxicity. cancer - inorganics	CTUh	2.42E-05	8.62E-06	2.06E-09	2.59E-08	1.46E-05	9.03E-07
Human toxicity. cancer - organics	CTUh	7.60E-04	1.71E-04	1.18E-07	2.80E-07	5.86E-04	2.39E-06
Human toxicity. non-cancer	CTUh	1.98E-03	7.95E-04	3.18E-07	4.14E-07	1.18E-03	2.29E-06
Human toxicity. non-cancer - inorganics	CTUh	1.85E-03	7.48E-04	2.99E-07	3.82E-07	1.10E-03	2.18E-06
Human toxicity. non-cancer - organics	CTUh	1.31E-04	4.71E-05	1.93E-08	3.21E-08	8.33E-05	1.12E-07
Land use	Pt	8.61E+05	6.21E+04	5.24E+02	2.80E+02	7.97E+05	1.43E+03

Impact category	Unit	Module	Manufac.	Distrib.	Instal.	Use	End of life
		Total	A1-A3	A4	A5	B1-B6	C1-C4
<b>Inventory flows indicator</b>							
Use of renewable primary energy, excluding renewable primary energy resources used as raw materials	MJ	1.55E+06	1.16E+04	5.63E+00	2.99E+01	1.53E+06	5.24E+02
Use of renewable primary energy resources used as raw materials	MJ	1.29E+03	1.29E+03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of renewable primary energy resources	MJ	1.55E+06	1.29E+04	5.63E+00	2.99E+01	1.53E+06	5.24E+02
Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials	MJ	4.62E+06	9.46E+04	5.06E+02	6.60E+02	4.52E+06	3.41E+03
Use of non-renewable primary energy resources used as raw materials	MJ	1.37E+03	1.37E+03	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total use of non-renewable primary energy resources	MJ	4.62E+06	9.60E+04	5.06E+02	6.60E+02	4.52E+06	3.41E+03
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water	m <sup>3</sup>	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Hazardous waste	kg	1.88E+01	1.91E+00	3.31E-03	1.33E-02	1.69E+01	1.42E-02
Bulk waste	kg	1.15E+04	7.26E+02	4.46E+01	3.81E+01	1.06E+04	3.84E+01
Radioactive waste	kg	9.11E+00	1.51E-01	9.87E-05	7.31E-04	8.94E+00	1.33E-02
Components for reuse	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for recycling	kg	5.04E+02	0.00E+00	0.00E+00	2.29E+01	0.00E+00	4.81E+02
Materials for energy recovery	kg	2.85E+01	0.00E+00	0.00E+00	1.44E+01	0.00E+00	1.41E+01
Exported energy	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the product	kg C	3.63E-01	3.63E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the associated packaging	kg C	2.04E+01	2.04E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00

# Use stage impacts per declared unit

Impact category	Unit	Module	Use	Maint.	Repair	Replac.	Rehabil.	Energy	Water
		Total	B1	B2	B3	B4	B5	B6	B7
<b>Environmental impact indicators</b>									
Climate change	kg CO <sub>2</sub> eq	3.03E+05	0.00E+00	2.05E+01	0.00E+00	0.00E+00	0.00E+00	3.03E+05	0.00E+00
Climate change - Biogenic	kg CO <sub>2</sub> eq	2.52E+04	0.00E+00	3.61E-02	0.00E+00	0.00E+00	0.00E+00	2.52E+04	0.00E+00
Climate change - Fossil	kg CO <sub>2</sub> eq	2.78E+05	0.00E+00	2.05E+01	0.00E+00	0.00E+00	0.00E+00	2.78E+05	0.00E+00
Climate change - Land use and LU change	kg CO <sub>2</sub> eq	3.61E+01	0.00E+00	1.02E-02	0.00E+00	0.00E+00	0.00E+00	3.61E+01	0.00E+00
Ozone depletion	kg CFC11 eq	6.05E-03	0.00E+00	3.99E-07	0.00E+00	0.00E+00	0.00E+00	6.05E-03	0.00E+00
Acidification	mol H+ eq	9.65E+02	0.00E+00	9.35E-02	0.00E+00	0.00E+00	0.00E+00	9.64E+02	0.00E+00
Eutrophication. freshwater	kg P eq	4.47E+01	0.00E+00	2.62E-03	0.00E+00	0.00E+00	0.00E+00	4.47E+01	0.00E+00
Eutrophication. marine	kg N eq	1.62E+02	0.00E+00	3.09E-02	0.00E+00	0.00E+00	0.00E+00	1.62E+02	0.00E+00
Eutrophication. terrestrial	mol N eq	1.74E+03	0.00E+00	3.40E-01	0.00E+00	0.00E+00	0.00E+00	1.74E+03	0.00E+00
Photochemical ozone formation	kg NMVOC eq	7.74E+02	0.00E+00	1.37E-01	0.00E+00	0.00E+00	0.00E+00	7.74E+02	0.00E+00
Resource use. minerals and metals	kg Sb eq	5.15E-01	0.00E+00	1.67E-04	0.00E+00	0.00E+00	0.00E+00	5.15E-01	0.00E+00
Resource use. fossils	MJ	4.52E+06	0.00E+00	2.88E+02	0.00E+00	0.00E+00	0.00E+00	4.52E+06	0.00E+00
Water use	m <sup>3</sup> depriv.	2.00E+05	0.00E+00	1.49E+00	0.00E+00	0.00E+00	0.00E+00	2.00E+05	0.00E+00
Total use of primary energy during the life cycle	MJ	6.06E+06	0.00E+00	2.97E+02	0.00E+00	0.00E+00	0.00E+00	6.05E+06	0.00E+00
Particulate matter	disease inc.	4.84E-03	0.00E+00	2.06E-06	0.00E+00	0.00E+00	0.00E+00	4.84E-03	0.00E+00
Ionizing radiation	kBq U-235 eq	3.38E+04	0.00E+00	7.91E-01	0.00E+00	0.00E+00	0.00E+00	3.38E+04	0.00E+00
Ecotoxicity. freshwater - part 1	CTUe	3.06E+05	0.00E+00	4.67E+01	0.00E+00	0.00E+00	0.00E+00	3.06E+05	0.00E+00
Ecotoxicity. freshwater - part 2	CTUe	2.44E+05	0.00E+00	2.21E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ecotoxicity. freshwater - inorganics	CTUe	3.18E+05	0.00E+00	4.37E+01	0.00E+00	0.00E+00	0.00E+00	3.18E+05	0.00E+00
Ecotoxicity. freshwater - organics - p.1	CTUe	1.50E+05	0.00E+00	2.33E+01	0.00E+00	0.00E+00	0.00E+00	1.50E+05	0.00E+00
Ecotoxicity. freshwater - organics - p.2	CTUe	8.18E+04	0.00E+00	1.81E+00	0.00E+00	0.00E+00	0.00E+00	8.18E+04	0.00E+00
Human toxicity. cancer	CTUh	6.00E-04	0.00E+00	1.21E-07	0.00E+00	0.00E+00	0.00E+00	6.00E-04	0.00E+00
Human toxicity. cancer - inorganics	CTUh	1.46E-05	0.00E+00	2.21E-09	0.00E+00	0.00E+00	0.00E+00	1.46E-05	0.00E+00
Human toxicity. cancer - organics	CTUh	5.86E-04	0.00E+00	1.19E-07	0.00E+00	0.00E+00	0.00E+00	5.86E-04	0.00E+00
Human toxicity. non-cancer	CTUh	1.18E-03	0.00E+00	1.79E-07	0.00E+00	0.00E+00	0.00E+00	1.18E-03	0.00E+00
Human toxicity. non-cancer - inorganics	CTUh	1.10E-03	0.00E+00	1.65E-07	0.00E+00	0.00E+00	0.00E+00	1.10E-03	0.00E+00
Human toxicity. non-cancer - organics	CTUh	8.33E-05	0.00E+00	1.38E-08	0.00E+00	0.00E+00	0.00E+00	8.33E-05	0.00E+00
Land use	Pt	7.97E+05	0.00E+00	1.18E+02	0.00E+00	0.00E+00	0.00E+00	7.97E+05	0.00E+00


Impact category	Unit	Module	Use	Maint.	Repair	Replac.	Rehabil.	Energy	Water
		Total	B1	B2	B3	B4	B5	B6	B7
<b>Inventory flows indicator</b>									
Use of renewable primary energy, excluding renewable primary energy resources used as raw materials	MJ	1.53E+06	0.00E+00	8.03E+00	0.00E+00	0.00E+00	0.00E+00	1.53E+06	0.00E+00
Use of renewable primary energy resources used as raw materials	MJ	0.00E+00	0.00E+00	1.00E+00	0.00E+00	0.00E+00	0.00E+00	2.00E+00	0.00E+00
Total use of renewable primary energy resources	MJ	1.53E+06	0.00E+00	9.03E+00	0.00E+00	0.00E+00	0.00E+00	1.53E+06	0.00E+00
Use of non-renewable primary energy, excluding non-renewable primary energy resources used as raw materials	MJ	4.52E+06	0.00E+00	2.87E+02	0.00E+00	0.00E+00	0.00E+00	4.52E+06	0.00E+00
Use of non-renewable primary energy resources used as raw materials	MJ	0.00E+00	0.00E+00	1.00E+00	0.00E+00	0.00E+00	0.00E+00	2.00E+00	0.00E+00
Total use of non-renewable primary energy resources	MJ	4.52E+06	0.00E+00	2.88E+02	0.00E+00	0.00E+00	0.00E+00	4.52E+06	0.00E+00
Use of secondary material	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Use of non-renewable secondary fuels	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of fresh water	m <sup>3</sup>	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Hazardous waste	kg	1.69E+01	0.00E+00	6.52E-03	0.00E+00	0.00E+00	0.00E+00	1.69E+01	0.00E+00
Bulk waste	kg	1.06E+04	0.00E+00	8.45E+00	0.00E+00	0.00E+00	0.00E+00	1.06E+04	0.00E+00
Radioactive waste	kg	8.94E+00	0.00E+00	2.01E-04	0.00E+00	0.00E+00	0.00E+00	8.94E+00	0.00E+00
Components for reuse	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for recycling	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for energy recovery	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Exported energy	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the product	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the associated packaging	kg C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

# Extrapolation rules

NO.	Product Type	Power	Manufact. Distrib co-eff.	Install. co-eff.	Use stage coefficient		End of life coeff.
		[kW]	A1...A4	A5	B2	B6	C1...C4
1	WiSAN-P 14.1	28.8	1.52	1.63	1.00	0.92	1.52
2	WiSAN-P 16.1	32.0	1.37	1.47	1.00	0.93	1.36
3	WiSAN-P 18.1	39.0	1.21	1.21	1.00	0.97	1.21
4	WiSAN-P 19.1	43.1	1.09	1.09	1.00	0.98	1.09
rev	WiSAN-P 20.1	47.0	1.00	1.00	1.00	1.00	1.00
6	WiSAN-P 25.2	53.7	1.19	1.17	1.00	0.89	1.19
7	WiSAN-P 30.2	59.1	1.08	1.06	1.00	0.91	1.08

Extrapolation coefficients are given for the environmental impact of the functional unit, i.e. the emission of 1 kW heating power\*. For each stage of the life cycle, the environmental impacts of the product concerned are calculated by multiplying the impacts of the declaration corresponding to the reference product by the extrapolation coefficient. The "Total" column should be calculated by adding the environmental impacts of each stage of the life cycle.



Registration number: <b>CLIV-00001-V01.01-EN</b>	Drafting rules: " <b>PCR-ed4-EN-2021 09 06</b> <b>Supplemented by "PSR-0013-ed3.0-EN-2023 06 06"</b>
Verifier accreditation number: <b>VH50</b>	Information and reference documents: <b>www.pep-ecopassport.org</b>
Date of issue: 11-2024	Validity period: <b>5 years</b>
<b>Independent verification of the declaration and data in compliance with ISO 14025: 2006</b>	
<b>Internal:</b> <input type="checkbox"/>	<b>External:</b> <input checked="" type="checkbox"/>
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)	
PEPs are compliant with EN 50693:2019 The components of the present PEP may not be compared with components from any other program.	
Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"	
	



[www.clivet.com](http://www.clivet.com)

Via Camp Lonc 25, Z.I. Villapaiera  
32032 Feltre (BL) - Italy  
Tel. +39 0439 3131  
info@clivet.it